



## SAFETY DATA SHEET

### METHYLCYCLOHEXANE

#### 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product name: **METHYLCYCLOHEXANE**

Recommended use: Chemical for industry.

Manufacturer/Supplier: **MODERN CHEMICAL CO.,LTD.**  
82/80 Soi Ekamai 22 (Nuannoi), Sukhumvit 63,  
Klong Tan Nuea, Watthana, Bangkok 10110

Telephone No: 0-2715-0897-9, 0-2392-3410-3

Fax No: 0-2715-0908-9, 0-2391-1571-2

Emergency Telephone No: 0-2715-0897-9, 0-2392-3410-3

#### 2. HAZARDS IDENTIFICATION

##### Label elements

Pictogram



Signal word

Danger

##### Hazard statement(s)

- 1.) Highly flammable liquid and vapour.
- 2.) Causes skin irritation.
- 3.) May be fatal if swallowed and enters airways.
- 4.) May cause drowsiness or dizziness.
- 5.) Toxic to aquatic life with long lasting effects.
- 6.) May damage the unborn child. Suspected of damaging fertility.

##### Precautionary statement(s)

- 1.) Keep away from heat/sparks/open flames/hot surfaces. - No smoking.



- 2.) Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- 3.) Avoid release to the environment.
- 4.) IF SWALLOWED: call a doctor/physician. Do NOT induce vomiting.
- 5.) IF IN EYES: Rinse cautiously with water for 15 minutes.
- 6.) IF ON SKIN Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonym:** No data available

Ingredients	% (w/w)	CAS NO.
METHYLCYCLOHEXANE	100	108-87-2

### 4. FIRST AID MEASURES

- General advice:** Show this safety data sheet to the doctor in attendance.
- Inhalation:** Remove from further exposure. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation.
- Skin contact:** Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse.
- Eye contact:** If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes. Obtain medical attention.
- Ingestion:** **Do not induce vomiting.** Seek immediate medical attention.

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:**

Use water fog, foam, dry chemical or carbon dioxide (CO<sub>2</sub>) to extinguish flames.

**Unsuitable Extinguishing Media**

Straight streams of water

**Specific hazards arising from Chemicals**

Smoke, Fume, Incomplete combustion products, Oxides of carbon.

**Special protective equipment for fire-fighters.**

Wears self contained breathing apparatus for fighting if necessary.



## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Avoid contact with spilled material. Warn or evacuate occupants in surrounding and downwind areas if required, due to toxicity or flammability of the material. See Section 5 for fire fighting information. See the Hazard Identification Section for Significant Hazards. See Section 4 for First Aid Advice. See Section 8 for Personal Protective Equipment.

**Environmental precautions:** Contain or absorb leaking liquid with sand or earth, consults an expert. Prevent liquid entering sewers, basements and workpits. If substance has entered a water course or sewer or contaminated soil or vegetation, advise police.

### Methods and Material for Containment and Clean Up:

Spillage: May react with combustible substances creating fire or explosion hazard and formation of toxic fumes. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Soak up with inert absorbent material (e.g. sand, silicagel). Prevent liquid entering sewers, basements and workpits; vapor may create explosive atmosphere. Transfer to covered steel drums. Dispose promptly.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling & Product Transfer:

Avoid contact with skin. Avoid contact with eyes. Use non-sparking tools and explosion-proof equipment. Potentially toxic/irritating fumes/vapour may be evolved from heated or agitated material. Use only with adequate ventilation. Do not enter storage areas or confined spaces unless adequately ventilated. Use proper bonding and/or earthing procedures. Prevent small spills and leakage to avoid slip hazard.

### Conditions for Safe Storage & Unsuitable Materials:

Ample fire water supply should be available. A fixed sprinkler/deluge system is recommended. Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area. Outside or detached storage preferred. Storage containers should be earthed and bonded. Drums must be earthed and bonded and equipped with self-closing valves, pressure vacuum bungs and flame arresters.



## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Occupational Exposure Limits:** No data available

### Appropriate Engineering Controls:

The product should only be used in ventilation hoods and fans

### Individual Protection Measures

**Respiratory protection:** In case of insufficient ventilation, wear suitable respiratory equipment. Required when vapor/aerosols are generated filter A (according to DIN3181) for vapors of organic compounds.

**Hand protection:** Handle with gloves. In case full contact and splash contact wear gloves from butyl rubber material. The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

**Eye protection:** Goggles giving complete protection to eyes.

**Skin and body protections:** Chemical resistant apron / flame retardant antistatic protective clothing, heavy duty work shoes.

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end workday. Keep away from food, drink.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Form, Color and Odor :</b> liquid, colourless characteristic	<b>Evaporation rate :</b> N/A
<b>Melting Point :</b> N/A	<b>Specific gravity :</b> 0.772-0.776 g/cm <sup>3</sup> at 15 °C
<b>pH :</b> N/A	<b>Solubility in water :</b> Not Soluble
<b>Boiling point :</b> 101°C	<b>Viscosity :</b> N/A
<b>Vapor pressure :</b> 5.73 kPa	<b>Vapor density :</b> 3.4 (air=1)
<b>Lower explosive limits:</b> 1.2% Vol	<b>Upper explosive limits:</b> 6.7% Vol
<b>Auto-ignition temperature:</b> 258 °C	<b>Flash Point:</b> -3 °C
<b>Odor threshold:</b> N/A	<b>Flammability (solid, gas):</b> no data available
<b>Decomposition temperature:</b> N/A	<b>Solubility in other solvents:</b> N/A
<b>n-octanol/water partition coefficient (log P<sub>ow</sub>):</b> N/A	



## 10. STABILITY AND REACTIVITY

<b>Chemical Stability:</b>	Stable under recommended storage conditions.
<b>Reactions:</b>	no data available
<b>Possibility of Hazardous Reactions:</b>	no data available
<b>Conditions to avoid:</b>	Avoid heat, sparks, open flames and other ignition sources.
<b>Materials to avoid:</b>	Strong oxidizers.
<b>Hazardous decomposition products:</b>	Material does not decompose at ambient temperatures.

## 11. TOXICOLOGICAL INFORMATION

<b>Acute toxicity:</b>	LD50 (oral, rat): 3200 mg/kg
<b>Sensitization:</b>	No data available
<b>Chronic toxicity:</b>	No data available
<b>Further toxicological information:</b>	No data available

## 12. ECOLOGICAL INFORMATION

### Toxicity

Toxicity to fish:	LC50 - other fish – 2.1 mg/l - 96 h
Toxicity to algae	EC50 – 0.34 mg/l
Toxicity to aquatic invertebrates:	No data available
Toxicity Bacterial;	No data available
Biodegradability Remarks:	No data available
Bioaccumulative Potential:	No data available
Mobility:	No data available
Affected in any other way:	No data available

## 13. DISPOSAL CONSIDERATIONS

**Material Disposal:** There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will



advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

**Container Disposal:** Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

**14. TRANSPORT INFORMATION**

**ADR/DOT**

UN No : 2296 Class : 3 Packing group : II  
Label(s) : 3 Marine pollutant: No  
Proper shipping name : Methylcyclohexane

**IMGD**

UN No : 2296 Class : 3 Packing group : II  
Label(s) : 3 EmS No. : F-E, S-D Marine pollutant : No  
Proper shipping name : METHYLCYCLOHEXANE

**IATA**

UN No : 2296 Class : 3 Packing group : II  
Label(s) : 3 Marine pollutant : No  
Proper shipping name : Methylcyclohexane

**15. REGULATORY INFORMATION**

**GHS-Labeling**

**Hazard statement (s):**

H225: Highly flammable liquid and vapor.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

EUH066: Repeated exposure may cause skin dryness or cracking.

**Precautionary statement (s) :**

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P240: Ground/bond container and receiving equipment.



P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing vapors.

P264: Wash hand thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYE : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do Continue rinsing.

P312: Call a POISON CENTER or doctor, physician if you feel unwell.

P337+P313 : If eye irritation persists: Get medical advice/attention.

P370+P378: In case of fire: Use carbon dioxide, dry chemical or foam for extinction.

P403+P223: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

**Hazard symbol(s)**

F Highly flammable.

Xi Irritant.

**R- phrase(s):**

R11 : Highly flammable.

R36 : Irritating to eyes.

R66 : Repeated exposure may cause skin dryness or cracking.

R67 : Vapor may cause drowsiness and dizziness.

**S - phrase(s):**

S 9: Keep container in a well-ventilated place.

S16: Keep away from sources of ignition. - No smoking.



บริษัท โมเดิร์นเคมีเคิล จำกัด (สำนักงานใหญ่)

(MODERN CHEMICAL CO.,LTD. (Head Office))

82/80 ซอยเอกมัย 22(นวน้อย) ถ.สุขุมวิท 63 แขวงคลองตันเหนือ เขตวัฒนา กรุงเทพมหานคร 10110 โทร0-2715-0897-9 แฟกซ์:0-2392-3410-3

82/80 Soi Eakmai 22(nuan-noi) 63 Sukhumvit Rd, Klong Ton Nuca, Wattana, Bangkok 10110 E-mail : [service@modernchemical.co.th](mailto:service@modernchemical.co.th)

## 16. Other Information

Modern Chemical Co.,Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensive or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

MODERN CHEMICAL CO., LTD. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MODERN CHEMICAL CO.,LTD. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.